

Loyalty Cohorts

Loyalty Cohorts

Because electronic health records are often missing information about patients, we developed and validated a tunable computer algorithm to identify subsets of patients whose data are relatively complete and therefore better suited for clinical research studies. A manuscript describing this study is currently under review:

Griffin M Weber, William G. Adams, Elmer V. Bernstam, Jonathan P. Bickel, Kathe P. Fox, Keith Marsolo, Vijay A. Raghavan, Alexander Turchin, Xiaobo Zhou, Shawn N. Murphy, Kenneth D. Mandl. "A Tunable Approach to Identifying Research Cohorts with 'Complete Data' in Electronic Health Records". 2015. Under Review.

Run the following database script on your i2b2 CRC cell's database (Microsoft SQL Server) to identify patients whose data are relatively complete.

[LoyaltyCohortSQLServer.sql](#)

For more information, please contact

Griffin M Weber, MD, PhD

Department of Biomedical Informatics

Harvard Medical School

weber@hms.harvard.edu

Search this documentation

Popular Topics

- [documentation-space-sample](#)
- [featured](#)

Featured Pages

- [Getting started](#)
- [Making a template](#)

Recently Updated Pages

[Loyalty Cohorts](#)

May 17, 2016 • updated by Janice Donahoe • [view change](#)

[Loyalty Cohorts](#)

Dec 23, 2015 • updated by Griffin Weber • [view change](#)

[Making a template](#)

Dec 11, 2015 • created by mike mendis

[Getting started](#)

Dec 11, 2015 • created by mike mendis

[Loyalty Cohorts](#)

Dec 11, 2015 • created by mike mendis