

ACT Install from Docker

Running this image will require a recent supported installation of the Docker Engine
You will also need root or superuser access to run this install.



If you are not familiar with Docker

[Getting started with Docker](#)

Operating systems checked

Our testing has shown that this ACT Docker container will run on: CentOS 7, Windows 10 Professional, and Mac OS. Also, this container will run on Windows 7 with the Docker Toolbox for Windows installed.

Dockerhub

Our public Dockerhub repository page is here: [ACT](#) On this page you will find abridged instructions on how to run this image into a container on your local host.

1

Download this script: [launcher](#) This script is a helper that will prompt for parameters that are unique to your site. Then the script will execute a Docker run with these parameters.

2

Pull the Docker image by:

```
docker pull i2b2/act-web
```

3

Run the launcher script that you downloaded in Step 1.

```
./launcher.sh
```

4

The script will prompt you for your SHRINE URL. Enter in your SHRINE URL.

```
Enter in your SHRINE URL: http://[your SHRINE domain]:9094/shrine-act-test/
```

5

The script will now prompt you for your i2b2 domain. Enter it here.

```
Enter in your domain: [your i2b2 domain]
```

6

The script will now prompt you for your PM cell URL. Enter it here.

```
Enter in your PM cell URL: http://[your PM domain]:9090/i2b2/serv
```

7


The script will now build the ACT image, and run the ACT container. All outputs of these commands can be found in ACTStart.log

```
Now starting the ACT container. Please wait...
```

```
ACT container should be running at http://your_hostname:5001/
```

8

Verify the ACT Web Client is running by going to http://your_hostname:5001 in a browser.



If there are any issues, go to http://your_hostname:5001/ACT_requirements.php

ACT Validator

← → ↻ http://your_hostname:5001/ACT_requirements.php

ACT Validator

This ACT utility has checked your install for various requirements. If these requirements are not met, your ACT install may not run, or have issues.

The requirements checked are such things as, the correct version of PHP, correct PHP extensions, a working directory that has the correct permissions set, and more. As new requirements are created, their tests will be added to this page.

By reviewing the test results below, one can easily see any potential issues with the ACT install.

Also you can click the **Refresh** button to see if changes you have made to your install have cleared up any issues.

–The ACT Plugin Development Team.

For a system requirements test only, check the Prerequisites box. ☐ Prerequisites Refresh

Results of ACT Testing

- ✔ OS Info: Linux|3.10.0-693.11.6.el7.x86_64
- ✔ PHP Version: 5.4.16
- ✔ PHP cURL version: 7.29.0
- ✔ PHP Extension JSON version: 1.2.1
- ✔ AT command: ok
- ✔ Working Directory: /opt/viewer_jobs: ok
- ✔ Remaining Space: 10169380864 bytes free on /opt/viewer_jobs
- ✔ SHRINE URL: http://shrineactdev.dipr.partners.org:9094/shrine-act-test/rest/i2b2/admin/request found

You have completed all the steps! Here are some helpful Docker commands:


To delete the running act_container, enter in: `docker container rm -f act_container`

```
[root@acttest act4]# docker container rm -f act_container
act_container
[root@acttest act4]#
```

To run a container based on the act image, type in `docker run --name [anyname] -d -p [hostPort:80] name of image`
In the example below we have started two ACT containers running at the same time

```
[root@acttest act4]# docker run --name=actTwo -d -p 5001:80 act_image
d49d698b37bf5d176728b3efee1b20883eed31699502df2bd9429217e112b169
[root@acttest act4]# docker run --name=actThree -d -p 5002:80 act_image
3ab81746f70115f5f186f7a71fb0101003081e08b06be7b4617d9d85eeee5b84
[root@acttest act4]#
```

Here are the two containers' URLs running at the same time! Note the port numbers.



To get a list of running containers type in: `docker container ls`

```
[root@acttest act4]# docker container ls
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
3ab81746f701	act_image	"/bin/sh -c '/usr/sb..."	7 minutes ago	Up 7 minutes	0.0.0.0:5002->80/tcp	actThree
d49d698b37bf	act_image	"/bin/sh -c '/usr/sb..."	7 minutes ago	Up 7 minutes	0.0.0.0:5001->80/tcp	actTwo

```
[root@acttest act4]#
```

To get to the act_container's shell, type in: `docker exec -it act_container sh`. You can see this in the example below, here I did a `ls` once inside the container's shell. To leave the shell, type in `exit`. This will bring you back to the host OS.

```
[root@acttest act4]# docker exec -it act_container sh
sh-4.2# ls
anaconda-post.log  boot  etc  lib  media  opt  root  sbin  sys  usr
bin                dev  home  lib64  mnt  proc  run  srv  tmp  var
sh-4.2# exit
exit
[root@acttest act4]#
```