


ACT Sites: Activating two ACT plugins locally


Plugins

One of the exciting features of the latest i2b2 upgrade in ACT is the addition of two plugins to assist in the local identification of patients. Both plugins are run in your site's local i2b2 web client.

- **SHRINE-to-i2b2 Connector** plugin enables a local site admin (i.e. a user with MANAGER role in the local i2b2 project that SHRINE uses) to easily view all SHRINE queries that come into your site's SHRINE node. The plugin allows the local site admin to filter all incoming queries by flag status and search by query name.



- **Patient Data Exporter** allows the local data concierge to download a list of i2b2 patient numbers for a specified patient set of interest. These i2b2 patient numbers can then be referenced back to patient MRNs (using your site's own process) for study recruitment purposes.



These plugins were distributed in a pre-packaged i2b2 1.7.12A web client as part of the upgrade process. You can check if your version of your i2b2 web client contains these plugins by confirming if the existence of the folder `/webclient/js-i2b2/cells/plugins/ACT/`. If you do not see the 'ACT' folder, you can download the pre-packaged web client below which will contain these plugins already enabled for use.

Download

Description	i2b2 Released Version	Download Link	Requirements
i2b2 1.7.12A web client with pre-packaged two ACT plugins	1.7.12A	 i2b2-act-webclient-1712a.zip	You are running at least i2b2 1.7.12A in the ACT production network.

Step-by-Step Instructions for installing and configuring ACT plugins

1

Unzip act-webclient-1712a.zip to your web server directory. This is usually where your local i2b2 web client is running (not your SHRINE web client). Example on Linux running Apache, below:

Linux Example

```
$ unzip i2b2-act-webclient-1712a.zip -d /var/www/html/
```

This will extract the folder 'i2b2-act-webclient' in your web directory (e.g. /var/www/html/i2b2-act-webclient/)

2

Configure the `/i2b2-act-webclient/i2b2_config_data.js` file. If you have an existing `i2b2_config_data.js` that is setup for your local ACT i2b2, you can copy and replace this file.

This is a standard i2b2 web client configuration as outlined in section [1.4.2 Domain Configuration](#) of the i2b2 installation guide.

3

Configure the `/i2b2-act-webclient/ACT_configuration.php` file. This configuration file contains the URL to your SHRINE node's 'admin' API. You should modify the `$shrine_admin_url` variable depending on your version of SHRINE.

- For SHRINE 3.0+ versions: `$shrine_admin_url = 'http://your-shrine-server:port/shrine-api/aim3/xml';`
- For SHRINE 2.x versions: `$shrine_admin_url = 'http://your-shrine-server:port/shrine/rest/i2b2/admin/request';`

This configuration is required for the SHRINE-to-i2b2 Connector plugin to operate.

4

You can skip this step if you are using the pre-packaged act-webclient-1712a.zip file above. Your plugins are already configured in i2b2_loader.js.

Configure the `/i2b2-act-webclient/js-i2b2/i2b2_loader.js` file. This configuration file controls which i2b2 web client plugins are enabled in your web client.

5

Add the MANAGER role to your local i2b2 account(s) for your ACT i2b2 project.

If you are unsure about what your local i2b2 project is called, the information can be found in your shrine configuration file (`/opt/shrine/tomcat/lib/shrine.conf`) under `shrine.hiveCredentials.crcProjectId`:

```
shrine {  
  ...  
  hiveCredentials {  
    ...  
    crcProjectId = 'demo'  
  }  
  ...  
}
```

Once you have confirmed your local i2b2 project ID that SHRINE uses, you should add the following i2b2 role for your i2b2 account in your **PM_PROJECT_USER_ROLES** table

PROJECT_ID	USER_ID	USER_ROLE_CD	CHANGE_DATE	ENTRY_DATE	CHANGEBY_CHAR	STATUS_CD
demo	user_id	MANAGER	date	date	NULL	A

If the account you login with does not have the MANAGER role, you will not see the SHRINE-to-i2b2 Connector or Patient Data Exporter plugins in the list of available plugins.

6

Verify your installation

Test web client

Navigate to your local i2b2 Web Client in your preferred browser and verify you are able to log on. Click on the **Analysis Tools** at the top-right, you should see the SHRINE-to-i2b2 Connector and Patient Data Exporter plugins.

Find Patients | Analysis Tools

Detailed List View Category: ALL

- SHRINE to i2b2 Connector**
This plugin enables a local site admin to view and create local queries from a SHRINE query
- Patient List Exporter**
This plugin enables the exporting of a list of i2b2 patient numbers from a workplace folder or from a previous query.
- Demographics (1 Patient Set) - Simple Counts**
This plugin displays a demographic break-down of a Patient Set.
- Demographics (2 Patient Sets) - Simple Counts**
This plugin compares the demographic break-down of two Patient Sets.
- Timeline**
This plugin creates a visual representation of when selected observations occur within a given patient set.
- Workplace Items Sharing Enhancement - Searcher**
This plugin facilitates searching for similar Workplace items (folder, query, patient set, etc.) within the web client framework.
- CARE (Cohort Analysis & Refinement Expeditor) - Concept Demographics Histograms**
This plugin generates the histograms of demographic break-downs of a selected subset of a Patient Set against those from that subset that are associated (observed) with specified concepts.
- CARE (Cohort Analysis & Refinement Expeditor) - Concept Observation Tally Demographics Histograms**
This plugin generates the histograms of demographic break-downs of a selected subset of a Patient Set against those from that subset that are associated with various observation counts of a specified concept.

Close

Need help? If you run into any issues, please check out the [Troubleshooting Tips for i2b2 & SHRINE](#) page, and/or post your issues to the ACTtecdh mailing list