

# Multi-fact Table Home

## i2b2 Multiple Fact Tables

<b>Project Name:</b>	Multi-fact table	<b>Repository Location:</b>	<a href="https://github.com/i2b2/i2b2-core-server">https://github.com/i2b2/i2b2-core-server</a>
<b>Developer/s:</b>	Lori Phillips, MS		
<b>Institution/s:</b>	Mass General Brigham	<b>i2b2 Components:</b>	i2b2 Server
<b>Email:</b>	<a href="mailto:lcphillips@partner.s.org">lcphillips@partner.s.org</a>	<b>Keywords:</b>	i2b2, multifact

I want to...	Where to find it
Download the i2b2 Software	<a href="#">i2b2 Website</a>

---

## Project Summary

The multi-fact table project is a new feature that has been added to version 1.7.09 of the i2b2. Prior to this release, the i2b2 star schema could only support one fact table (`observation_fact`). We have noticed an increasing need for the i2b2 to be able to search multiple fact tables with a single query. The i2b2 server has been updated to allow those sites that want to use multiple fact tables will have the option to do so. This new feature enables the i2b2 to adapt to the needs of such projects as the Patient Centered Outcome Research Institute (PCORI) network and the Observational Medical Outcomes Partnership (OMOP) Common Data Model (CDM). It can also be used for sites that want to be able to query both genomic and phenotype data but don't want the data to reside in a single table.

Starting with 1.7.12 version, you can set `multifacttable` parameter in `hive_cell_params` table. Using SQL editor, update the `param_name_cd` `queryprocessor.multifacttable` value to true

example Oracle syntax:

### Example Oracle syntax

```
UPDATE hive_cell_params
```

set value = 'true' where param\_name\_cd = 'queryprocessor.multifactable' and cell\_id = 'CRC';

Query Builder

```
1 select * from hive_cell_params
2 where param_name_cd = 'queryprocessor.multifactable' and cell_id = 'CRC';
```

Script Output x Query Result x

All Rows Fetched: 70 in 0.051 seconds

ID	DATATYPE_CD	CELL_ID	PARAM_NAME_CD	VALUE	CHANGE_DATE	ENTRY_DATE	CHANGEBY_CHAR	STATUS_CD
42	T	CRC	I2B2 MESSAGE STATUS	QUEUED	(null)	(null)	(null)	A
44	T	CRC	I2B2 MESSAGE STATUS	QUEUED	(null)	(null)	(null)	A
45	T	CRC	I2B2 MESSAGE STATUS	QUEUED	(null)	(null)	(null)	A
57	T	CRC	ontology.terminal.delimiter	true	(null)	(null)	(null)	A
54	U	CRC	ontology.ws.dm.url	/services/PMService/getServices	(null)	(null)	(null)	A
36	T	CRC	queryprocessor.indi.pdoquervlocal	ejb.quervtool.PdoQuervLocal	(null)	(null)	(null)	A
30	T	CRC	queryprocessor.indi.quervexecutormdblocal	ejb.quervtool.QuervExecutorMDB	(null)	(null)	(null)	A
38	T	CRC	queryprocessor.indi.quervexecutormdbremote	ejb.quervtool.QuervExecutorMDB	(null)	(null)	(null)	A
32	T	CRC	queryprocessor.indi.quervmasterlocal	ejb.quervtool.QuervMasterLocal	(null)	(null)	(null)	A
35	T	CRC	queryprocessor.indi.quervresultlocal	ejb.quervtool.QuervResultLocal	(null)	(null)	(null)	A
34	T	CRC	queryprocessor.indi.quervrunlocal	ejb.quervtool.QuervRunLocal	(null)	(null)	(null)	A
39	T	CRC	queryprocessor.indi.queue.connectionfactory	ConnectionFactory	(null)	(null)	(null)	A
41	T	CRC	queryprocessor.indi.queue.executor.queue	queue/ims.quervtool.QuervExe...	(null)	(null)	(null)	A
40	T	CRC	queryprocessor.indi.queue.response.queue	queue/ims.quervtool.QuervRes...	(null)	(null)	(null)	A
47	T	CRC	queryprocessor.ws.ontology.url	/services/OntologyService/ge...	(null)	(null)	(null)	A
50	U	CRC	queryprocessor.ws.ontology.url	/services/OntologyService/ge...	(null)	(null)	(null)	A
51	U	CRC	queryprocessor.ws.dm.url	/services/PMService/getServices	(null)	(null)	(null)	A
52	U	CRC	WORKPLACE_WS_DM_URL	/services/PMService/getServices	(null)	(null)	(null)	A
68	U	CRC	IM.ws.dm.url	/services/PMService/getServices	(null)	(null)	(null)	A
69	T	CRC	im.checkPatientInProject	true	(null)	(null)	(null)	A
70	T	CRC	im.gmml.service	none	(null)	(null)	(null)	A

## Deprecated Feature

Prior to 1.7.12, the parameter *“queryprocessor.multifactable”* was set in *crc.properties* file. The setting is now configurable in the database.



Beginning in 1.7.12, the CRC properties are in the database! See [this link](#).