

Web Client Help

For i2b2 Webclient version 1.7.12

Updated August 27, 2019

[PDF Version](#) also available

- 1. Quick Start
 - 1.1 Basic Query
 - [Example]
 - 1.2 Adding an AND term
 - [How to]
 - [Example]
 - 1.3 Adding an OR term
 - [How to]
 - [Example]
- 2. Webclient Layout
 - Top Right.
 - Top Left.
 - Bottom Right.
 - Bottom Left.
 - Middle Left.
- 3. Query Tool
 - 3.1 Layout
 - 3.2 Creating a Query
 - 3.2.1 i2b2 Items for Querying
 - 3.2.1 Operators and Order of Precedence
 - 3.2.2 Constraints
 - Click on 'Occurs>0x'
 - 3.2.3 Query Timing
 - Independent
 - Same Financial Encounter
 - Temporal Query
 - 3.2.4 Reloading a Previous Query
 - 3.2.5 Resetting the Query Tool
 - 3.3 Running a Query
 - 3.3.1 Run Query
 - 3.3.2 Query Result Options
 - 1) Number of Patients
 - 2) Patient/Encounter Set
 - 4) Patient Breakdowns
 - 3.3.3. Query Status
 - When a query is running, the query status panel will show its status.
- 4. Navigate Terms
 - Navigate Terms Tab
 - Find Tab
 - A. The Search By Names tab is used to find all query items containing particular text.
 - B. The Search by Codes tab is used to find coded variables.
 - Options for Finding Terms
- 5. Query Status
 - Show Query Status
 - Graph Results
 - Query Report
- 6. Previous Queries
 - 6.1 'Previous Queries' tab
 - 6.2 Find tab
 - 6.3 Layout of a Previous Query Display
 - 6.3.1 Previous Query Name
 - 6.3.2 Results Folder
 - 6.3.2.1.1 Patient Set
 - 6.3.2.1.2 Encounter Set
 - 6.3.2.1.3 Number of Patients
 - 6.3.2.1.4 Breakdown
 - 6.4 Navigation
 - 6.4.1 Menu
 - 6.4.1.1 Display
 - 6.4.1.2 Rename a Previous Query
 - 6.4.1.3 Delete / Remove a Previous Query
 - 6.4.1.4 Refresh the List
 - 6.4.2 Options
 - 6.4.2.1 Maximum to Display
 - 6.4.2.1.1 Queries to Display
 - 6.4.2.2 Sort Queries
 - 6.4.2.2.1 Sort by Name
 - 6.4.2.2.2 Sort by Create Date
 - 6.4.2.3 Auto Refresh
 - 6.5 Using a Previous Query

- 6.5.1 *Draggable Items*
 - 6.5.1.1 *Previous Query*
 - 6.5.1.2 *Patient Set*
 - 6.5.1.3 *Encounter Set*
- 6.5.2 *Add to 'Query Tool'*
 - 6.5.2.1 *Add Previous Query to 'Query Tool'*
 - 6.5.2.1.1 *Add Previous Query to the Query Name (New Query)*
 - 6.5.2.1.2 *Add Previous Query to the Query Name (Query-in-Query)*
 - 6.5.2.2 *Add Patient Set to the 'Query Tool'*
 - 6.5.2.3 *Add Encounter Set to the 'Query Tool'*
- 6.5.3 *Add to 'Workplace' panel*
 - 6.5.3.1 *Add Previous Query to 'Workplace' Panel*
 - 6.5.3.2 *Add Patient Set to 'Workplace' panel*
 - 6.5.3.3 *Add Encounter Set to 'Workplace' panel*
- 7. *Workplace*
 - 7.1 *Layout of the 'Workplace' panel_GoBack*
 - 7.1.1 *Containers*
 - 7.1.2 *Folders*
 - 7.1.3 *Leaves (Items)*
 - 7.2 *Adding a folder and items*
 - 7.2.1 *Folders and Items Draggable to Workplace*
 - 7.2.2 *Adding a Folder*
 - 7.2.3 *Adding Items*
 - 7.2.3.1 *Adding Concept, Concept Folder, Modifier, and Modifier Folder*
 - *Adding from 'Find Terms' tab*
 - *Adding from 'Navigate Terms' tab*
 - 7.2.3.2 *Adding Previous Query, Patient Set, and Encounter Set*
 - *'Previous Queries' Panel*
 - *Adding Previous Query from 'Previous Queries' Panel*
 - *Adding Patient Set or Encounter Set from 'Previous Queries' Panel*
 - 7.3 *Navigation*
 - 7.3.1 *Folders*
 - 7.3.1.1 *Expand / Collapse a Folder*
 - 7.3.1.2 *Rename a Folder*
 - 7.3.1.3 *Annotate a Folder*
 - 7.3.1.4 *Delete a Folder*
 - 7.3.2 *Items*
 - 7.3.2.1 *Rename Items*
 - 7.3.2.2 *Annotate Items*
 - 7.3.2.3 *Delete Items*
 - 7.4 *Using Items in 'Workplace' Panel*
 - 7.4.1 *Items Draggable from Workplace*
 - 7.4.2 *Using Folders, Concepts, Modifier Folders, Modifiers, Patient Set, and Encounter Set*
 - *Adding to 'Query Tool' Panel*
 - 7.4.3 *Using Previous Query*
 - *Adding Previous Query to Query Name in 'Query Tool' Panel (New Query)*
 - *Adding Previous Query to Group in 'Query Tool' Panel (Query-in-Query)*
- 8. *Other Operations*
 - *Message Log*
- 9. *Example Queries*
 - 3.4 *Example Queries (in progress)*
 - *i. Simple Query: "Finding patients with a diagnosis A or a diagnosis B or has lab test C."*
 - *ii. Running a Previous Query*
 - *iii. Temporal Query (Simple)*
 - *iv. How to find Patients with >1 diagnosis X OR >1 diagnosis Y (Using nested queries)*
- *Download PDF Version*