

## 1.7.13 Release Notes

### Important links


#### Downloads:

- i2b2 Download Page (binaries and virtual machine): <https://www.i2b2.org/software/index.html>
- i2b2 v1.7.13 demo Docker containers (with SAML IDP demo): <https://github.com/kvb2univpitt/i2b2-demo/tree/i2b2-1.7.13>
- i2b2 Github (source code): <https://github.com/i2b2>

#### Documentation:

- SAML Setup for i2b2: [Chapter 8. SAML Setup for i2b2 \(v1.7.13 release\)](#)
  - SAML Diagrams: [Informational Diagrams for SAML Setup](#)
  - SAML login button: [i2b2 SAML: Customize Identity Provider \(IdP\) Login Button](#)
- User registration tool: [6.5a i2b2 Webclient User Registration](#)
- Synthea-i2b2: [Synthea-i2b2 Community Project](#), [Synthea-i2b2 scripts](#) and [63k sample file](#)
- Summary of new optional config parameters in webclient: [1.4.2 Domain Configuration](#).

## 1.7.13 Release Notes




i2b2 1.7.13 offers support for SAML federated login, enhanced security due to improvements found via an internal Veracode scan, a client-based user registration tool, support for Synthea synthetic data for testing, and a variety of other bugfixes and performance improvements. i2b2 1.7.13 has been tested with SHRINE 3.2.1. 










- [1.7.13 Release Notes](#)
  - [Highlight of Features](#)
    - [Top New Features](#)
    - [Community-Contributed Features](#)
  - [Detailed Documentation on New Features](#)
    - [User Registration Tool](#)
    - [SAML Authentication](#)
    - [Improved Totalnum Scripts](#)

- Totalnum Scripts Setup
- Additional New Stored Procedures
  - Age In Years Updater
  - Concept Dimension Updater
- I2b2-Synthea data Load
  - Synthea Load Process
    - Loading Synthea data from scratch
- ACT Version-4 Ontology data load
  - ACT4 data load process
- Security Enhancements
- Improved db Upgrade Process
- Changelog
  - Database Drivers
  - Supported Db Server versions
  - Supported software versions
- Supported Operating Systems
- i2b2 Server and Client Changes
  - New Features and Improvements
- i2b2 Database Changes
  - New Features and Improvements
  - Bug Fixes
- Notes for Developers

## Highlight of Features

# Top New Features

Description	
SAML Authentication	 <p>The screenshot shows the 'i2b2 Login' interface. At the top, there is a blue header with the text 'i2b2 Login'. Below the header, the text 'i2b2 Host:' is displayed. Underneath, there is a dropdown menu with 'i2b2_saml' selected. A red button with a white arrow icon and the text 'Sign In With SimpleSAMLphp' is prominently displayed. At the bottom, there is a link that says 'Don't have an account? Sign Up!'.</p>
User Account Registration Tool	 <p>The screenshot shows a 'Sign Up' form. The form is titled 'Sign Up' and has a close button (X) in the top right corner. It contains several input fields: 'First name:' with 'Clark' and a checkmark, 'Last name:' with 'Kent' and a checkmark, 'Email:' with 'ckent@dailypianet.com' and a checkmark, 'Username:' with 'ckent' and a checkmark, 'Password:' with a masked password and a checkmark, and 'Confirm Password:' with a masked password and a checkmark. To the right of the form is a 'Terms &amp; Conditions' section with a checkbox labeled 'I accept the Terms &amp; Conditions' which is checked. A blue 'Sign Up' button is located at the bottom right of the form.</p>
ACT Ontology v4	 <p>An empty rectangular box with a black border, intended for a screenshot related to the 'ACT Ontology v4' feature.</p>

Improved patient counting scripts ("totalnum")	<div style="border: 1px solid black; padding: 5px; background-color: #ffffcc;"> <p style="text-align: center; margin: 0;"><b>totalnum</b></p> <ul style="list-style-type: none"> <li> c_fullname : varchar (850)</li> <li> agg_date : datetime</li> <li> agg_count : int</li> <li> typeflag_cd : varchar (3)</li> </ul> </div>
Synthea SyntheticMass dataset in i2b2 format	
Simplified database upgrade method	
log4J upgrade (to address security concerns)	
Code changes to address security vulnerabilities	
Bugfixes	

### Community-Contributed Features

Contribution	Contributor	

SAML Authentication	Kevin Bui (lead developer) Michelle Morris <b>University of Pittsburgh</b>  Justin Prosser (security expert) <b>University of Washington</b>  Mike Mendis Jeff Klann Reeta Metta <b>Mass General Brigham</b>	i2b2 now includes support for SAML-based enterprise authentication via an institutional Identity Provider. See more information below.
Ability to specify user parameter defaults	Michael Horvath <b>Wake Forest University</b>	This change is meant to allow user params to take precedence over hive params. Currently, it's the other way around.  Particularly, if you have the situation where you have a large number of users who use an authentication method other than the default basic, but your service account (AGG_SERVICE_ACCOUNT) is using basic then you need to specify a user param for each of your users.  With this change, you can set default authentication params in pm_hive_params for all users, and then set your service account specifically to be authentication_method = 'BASIC'.
LDAP UPN Support	Michael Horvath <b>Wake Forest University</b>	Active Directory enables other methods of binding which are more flexible besides just using the distinguished name. <a href="https://docs.microsoft.com/en-us/openspecs/windows_protocols/ms-adts/6a5891b8-928e-4b75-a4a5-0e3b77eaca52">https://docs.microsoft.com/en-us/openspecs/windows_protocols/ms-adts/6a5891b8-928e-4b75-a4a5-0e3b77eaca52</a> . This change is to enable binding the the User Principle Name form, which is very convenient when the distinguished names for users is not easily available (OU by department, etc.).
API to get all children of an ontology node	Kevin Bui Michelle Morris <b>University of Pittsburgh</b>	The metadata <a href="#">GetChildren API call</a> , which returns information on the children of an ontology node, can now be configured to return multiple levels of children (e.g., children, children's children, etc.). This is done by specifying the numLevel parameters.  By default, the function assumes numLevel = 1 and will return the direct descendants of the concept, which is one level of children. When the numLevel = -1 the function will return ALL descendants of the concept, otherwise the function will return up to and including the number of levels specified by numLevel (eg. numlevel=2 returns two levels of descendants, numLevel=4 returns four levels of descendants).

Totalnum Counter Performance Improvements	Darren Hender son <b>University of Kentucky</b>	Performance enhancements on SQL Server totalnum counting: stop unnecessarily recomputing temp tables.
ACT v4 Postgres bugfixes	<b>Ambreen Zaver</b> University of Colorado	Bugfixes in time interval calculation (for age and age-at-visit) in ACT v4 ontology for Postgres.

## Detailed Documentation on New Features

### User Registration Tool

There is a new user registration tool that can be enabled in the webclient. It allows users to request an i2b2 account that can then be activated by an administrator. It supports manual entry of user information through the form shown below, or automatic population of user information through SAML.

Documentation on this new feature is here: [6.5a i2b2 Webclient User Registration](#)

Sign Up
✕

First name:
Last name:

Email:

Username:

Password:

Confirm Password:

**Terms & Conditions**

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut nec volutpat lorem. Donec augue lacus, vulputate nec arcu a, iaculis viverra felis. Integer sed suscipit risus. Donec ut mauris efficitur, dignissim sapien eget, accumsan libero. Quisque pretium auctor feugiat. Duis eu vulputate odio, eu aliquam velit. Integer sem leo, sagittis sit amet nibh a, auctor elementum ex. Pellentesque ut massa dapibus, sollicitudin turpis sed, pharetra est. Cras sodales blandit lorem a finibus. Sed nibh mi, euismod ut libero et, hendrerit maximus enim. Cras dignissim feugiat nunc, non fringilla sapien porttitor vel. Nullam lobortis sed sem sed laoreet. Praesent lorem leo, efficitur id viverra in, luctus et lectus. Nunc eros risus, tempus ac iaculis eu, aliquam ac mauris. Donec id risus nisi. Maecenas neque dui, porttitor non porttitor non, tincidunt nec ligula.

I accept the Terms & Conditions

### SAML Authentication


i2b2 now includes support for SAML-based enterprise authentication via an institutional Identity Provider.

Detailed setup instructions are in [Chapter 8 of the Installation Guide](#).

## i2b2 Login

**i2b2 Host:**

i2b2\_saml

 Sign In With SimpleSAMLphp

Don't have an account? [Sign Up!](#)

## Improved Totalnum Scripts

Totalnum Scripts (patient counting scripts) have been updated to improve the counter's performance on both multiple ontology tables and very large(>1.5 million) ontologies such as ACT medications. Debug messages have also been added for troubleshooting and profiling purposes. Support for multiple fact tables has been added and bugfixes have been made.

## Totalnum Scripts Setup

1. If upgrading, create the totalnum and totalnum\_report tables. In Release\_1-7/Upgrade/Metadata, run the ant upgrade script.  
ant -f data\_build.xml upgrade\_tables\_release\_1-7-12a
2. In the Release\_1-7/NewInstall/Metadata/ run the ant script to create the stored procedures.  
ant -f data\_build.xml create\_metadata\_procedures\_release\_1-7
3. Set privileges: If using multiple schemas, the stored procedure should be run from the *metadata* schema. Make sure the stored procedure can read the tables in the *crpdata* schema (observation\_fact, visit\_dimension, patient\_dimension) and can both read and update ontology tables in the *metadata* schema (including table\_access).
4. If using multiple fact tables, the recommended approach is to create a fact table view as the union of all your fact tables. (This is essentially going back to a single fact table, but it is only used for totalnum counting. This is needed to correctly count patients that mention multiple fact tables within a hierarchy.)

```
e.g.,
create view observation_fact_view as
select * from CONDITION_VIEW
union all
select * from drug_view
```

If running the counting script in SQL Server, add the wildcard flag, to ignore multifact references in the ontology:

```
e.g. exec RunTotalnum 'observation_fact_view','dbo','@','Y'
```

This is automatically accounted for in the other database platforms.

Note this approach does not work if you have conflicting concept\_cds across fact tables.


5. Run the stored procedures on your database. This can be done in two ways:

- Run the ant command to execute the data\_build.xml file with below specified target  
 POSTGRESQL : ant -f data\_build.xml db\_metadata\_run\_total\_count\_postgresql  
 ORACLE : ant -f data\_build.xml db\_metadata\_run\_total\_count\_oracle  
 SQL SERVER : ant -f data\_build.xml db\_metadata\_run\_total\_count\_sqlserver
- Execute the RunTotalNum stored procedure manually against your database from a SQL Client. This can take several hours for large databases or large ontologies. Examples are below.

<b>Oracle:</b>	<pre>begin   RUNTOTALNUM('observation_fact','i2b2demodata'); end;</pre> <p>You can optionally include a table name if you only want to count one ontology table (this IS case sensitive):</p> <pre>begin   runttotalnum('observation_fact','i2b2demodata','I2B2'); end;</pre> <p><u>Note:</u> If you get the error as: ERROR at line 1: ORA-01031: insufficient privilege, then run the command:  <i>grant create table to (DB USER)</i></p>
<b>SQL server:</b>	<pre>exec RunTotalnum 'observation_fact','dbo','@'</pre> <p>Parameters are: 1) the observation table name (for multi-fact-table setups), 2) the schema name, 3) a single table name to run on a single ontology table or '@' to run on all, and 4) a wildcard flag that will ignore multifact references in the ontology if 'Y'</p>
<b>PostgreSQL:</b>	<pre>select RUNTOTALNUM('observation_fact','public')</pre> <p>Replace 'public' by the schema name for the fact table</p> <p>If using a schema other than public for metadata, you might need to run "set search_path to 'i2b2metadata','public' " first as well</p>

When finished, verify it is complete by checking that c\_totalnum columns in your ontology tables contain numbers (not nulls). These total counts will be visible in the ontology browser in the web client.

Parent folders will get counts (of all patients with facts in the leaves) *except* for ontology folders derived from visit\_dimension or patient\_dimension. These cannot be rolled up because of the way these terms are defined in the ontology. They will have no count at all (not a zero).

 i2b2 users must have the DATA\_AGG user permission to view the counts through the web client.

## Additional New Stored Procedures

### Age In Years Updater

When the CRC data is installed via ant, a new SQL script updates the age\_in\_years\_num in the patient dimension based on the birth dates of the sample patients. As a reminder, this load process can be triggered with ant -f data\_build.xml db\_demodata\_load\_data in the CRC directory of NewInstall.

### Concept Dimension Updater



*Insert\_Concept\_FROMTableAccess* is designed to populate concept\_dimension table using the ontologies listed in table\_access table records. The stored procedure loops through the table\_access and inserts values from each metadata table (specified in the c\_table\_name column), when c\_dimtablename is set to 'concept\_dimension'  
Example usage: *exec Insert\_Concept\_FROMTableAccess*

## I2b2-Synthea data Load

Synthetic patient data generated by Synthea can be loaded into i2b2. The Synthea SyntheticMass sample files have been converted to i2b2-ACT format, and scripts to load Synthea data from scratch are available here: <https://github.com/i2b2/i2b2-synthea>

### Synthea Load Process

1. Set up an [i2b2 project with the ACT ontology](#).
2. Either download the SyntheticMass 63k sample in i2b2 format from [https://github.com/i2b2/i2b2-synthea/blob/main/syntheamass\\_63K\\_sample.zip](https://github.com/i2b2/i2b2-synthea/blob/main/syntheamass_63K_sample.zip), or follow the instructions below to load any Synthea dataset from scratch. This information can also be found on the [Synthea-i2b2 Community Project page](#).

### Loading Synthea data from scratch

1. Download [SyntheticMass Data, Version 2 \(24 May, 2017\)](#)
  - All data sets (1k, COVID 10k, COVID 100k) have been verified to work EXCEPT the 100k patients in the large SyntheticMass Version 2 download.
  - The 100k patients in the large SyntheticMass Version 2 download needs an extra step to delete invalid records before import. In this case, download [synthea\\_cleanup.pl](#) to your disk, and then run "synthea\_cleanup <directory-for-synthea-csv-files>" The fixed csv files will be in <directory-for-synthea-csv-files>/fixcsv.
2. Set up an i2b2 project with the ACT ontology.
3. Download the scripts from <https://github.com/i2b2/i2b2-synthea>
4. Run `create_synthea_table_<your_dbServerType>.sql` in your project to create the Synthea tables.
5. Import the Synthea data you downloaded in step one into the Synthea tables in your project.
6. Load the i2b2-to-SNOMED table in this repository into your project. [https://www.nlm.nih.gov/healthit/snomedct/us\\_edition.html](https://www.nlm.nih.gov/healthit/snomedct/us_edition.html)
7. Click on the "Download SNOMED-CT to ICD-10-CM Mapping Resources" link to download. (You will need a UMLS account.)
8. Unzip the file
9. Import the TSV file into a table called SNOMED\_to\_ICD10 in your database.
10. In Postgres and Oracle, follow the additional instructions in the comments at the top of `synthea_to_i2b2_<your_dbServerType>.sql` to clean up the date formatting.
11. Run `synthea_to_i2b2_<your_dbServerType>.sql` to convert Synthea data into i2b2 tables (this will truncate your existing fact and dimension tables!)
12. Replace references to `i2b2metadata.dbo` in the script. Use the database and schema where your ACT ontology tables are.

## ACT Version-4 Ontology data load

Metadata scripts are now available to load the latest ACT Version-4 ontology into your i2b2 db schema.



The CPT4 ontology table is not included with i2b2 due to AMA restrictions on redistribution of CPT code information. Contact the ACT team to get a copy if your institution is an AMA member.

## ACT4 data load process

1. Download and extract the newinstall zip package from "Download Binary Distribution" in the top section of <https://www.i2b2.org/software>
2. Edit the `edu.harvard.i2b2.data\Release_1-7\NewInstall\Metadata\db.properties` file to update the project properties to 'ACT' ; `db.project=ACT`
3. From the `edu.harvard.i2b2.data\Release_1-7\NewInstall\Metadata` folder, run the ant command: `ant -f data_build.xml db_metadata_load_data`
  - a. This will execute the SQL scripts from the `edu.harvard.i2b2.data\Release_1-7\NewInstall\Metadata\act\scripts\<db type>` folder and create and load ACT4 Ontology metadata tables
4. You can now verify the new Ontology by logging into the webclient.

## Security Enhancements

1. i2b2 has been made more secure by addressing parameterization and other potential vulnerabilities found in an internal a Veracode scan.
2. Log4J has been upgraded to the latest version. The following jars are updated in `lib/axis2.war/WEB-INF/lib` the folder:
  - `log4j-api-2.17.1.jar`
  - `log4j-core-2.17.1.jar`
  - `log4j-jcl-2.17.1.jar`

## Improved db Upgrade Process

Previously, i2b2 db upgrade was a multi-step process of running upgrade SQL scripts and stored procedures individually on the db instance. This release simplifies the process of running the table upgrade SQL scripts and stored procedures from `data_build.xml` files. Details are on the [i2b2 Upgrade Page](#) [here](#).

## Changelog

### Database Drivers

The JDBC drivers were updated to the following versions.

<b>Driver</b>	<code>ojdbc8.jar</code>	<code>postgresql-42.2.14.jar</code>	<code>mssql-jdbc-9.2.0.jre8.jar</code>
<b>New Version</b>	Oracle 21.5	PostgreSQL 42.3.2	MS Sql Server 9.2

## Supported Db Server versions

Server Type	SQL Server	Oracle	Postgres
Supported Version/s	2012+ (tested with up to 2019)	12g+ and 21c	9 to 14

## Supported software versions

Application Type	Java	Wildfly	Apache HTD	Apache Ant	Apache Axis2	PHP
Supported Version/s	8 or 11	17.0.1Final	2.0 (RHEL 6) and 2.2 ( RHEL 7)	1.9.6	1.7.1	7.2.27 or higher

## Supported Operating Systems

CentOS versions 6 (deprecated) or 7 (highly recommended)

Windows 7-2019

Unofficially, MacOS and other flavors of Linux are likely to work.

## i2b2 Server and Client Changes

### New Features and Improvements

<b>Core-server</b>	<b>webclient</b>
--------------------	------------------

[CORE-399](#) Oracle index hints must use the table alias

[CORE-382](#) Username / password errors should not specify which had the problem

[CORE-402](#) Fix Veracode identified Security flaws in i2b2 Server-Side Code

[CORE-404](#) Adding support for JDK 11. Now including the gensrc due to jaxb has been removed.

[CORE-413](#) FetchAllChildren

[CORE-414](#) SAML (server side)

[CORE-415](#) Log4j upgraded to v2

[CORE-416](#) User parameter precedence change (contributed by Michael Horvath)

[CORE-417](#) LDAP UPN support (contributed by Michael Horvath)

[CORE-405](#) Upgrade JDBC Drivers

[CORE-412](#) Disable login to agg service account

[WEBCLIENT-334](#) Provide tabs for major plugins and temporal query

[WEBCLIENT-344](#) Cleanup Analysis Tools list of Plugins to only Supported Items

[WEBCLIENT-325](#) Wayne's improvements to hierarchical find-by-name

[WEBCLIENT-353](#) SAML and user registration tool (client side)

## i2b2 Database Changes

### New Features and Improvements

[DATA-7](#) QT\_PATIENT\_SET\_ENC\_COLLECTION should be a bigint

[DATA-14](#) Synthea i2b2 data

[DATA-6](#) improve i2b2 db upgrade process

[DATA-12](#) Stored procedure to update concept dimension

[DATA-11](#) Age in years updater during demodata install

[DATA-9](#) ACT v4 ontology

[DATA-13](#) Postgres time interval corrections in ACT v4 demographics ontology

[CORE-389](#) Totalnum performance improvements

[CORE-394](#) Obfuscated totalnum reporting table

[CORE-398](#) Multifactor support for totalnums

[CORE-400](#) Show totalnums in top level folders

## Bug Fixes

Webclient	Core-server
<p><a href="#">WEBCLIENT-351</a> Obfuscated User Not Showing Graph .</p>	<p><a href="#">CORE-418</a> Local timestamps in sessions on Oracle - appserver /db server in diff time zones</p>
<p><a href="#">WEBCLIENT-342</a> switch response status check from "OK" to 200 to handle lab value pop up in http/2 protocols</p>	<p><a href="#">CORE-282</a> Error returned when obfuscated user is locked out</p>
<p><a href="#">WEBCLIENT-335</a> temporal query in webclient with no anchoring events not running .</p>	<p><a href="#">CORE-281</a> Query continues to run after user receives lockout message</p>
<p><a href="#">WEBCLIENT-350</a> Unable to drag items in workplace</p>	<p><a href="#">CORE-399</a> use alias for index hint</p>
<p><a href="#">WEBCLIENT-294</a> Webclient Reports "QUERY CANCELLED" While Query Is Still Running</p>	
<p><a href="#">WEBCLIENT-354</a> Removed broken context menu in Find Previous Queries</p>	

## Notes for Developers

For Java 11 install, if you change the xsd (REST API message definitions), then you will need to regenerate gensrc via JAXB in Java 8. In the i2b2-core cell directory for which you're regenerating the XSD-Java, run the ant target "jaxb\_gen" on Java 8 and then build as usual using Java 11.

---