

Upgrading from i2b2 1.7.05+ to 1.7.09b

New Upgrade Path: Precompiled JARs

The release of i2b2 1.7.08 introduced a major platform change in which the JBoss 7 application server was replaced with WildFly 10 (formerly known as "JBoss" 10), and JDK 8 became required.

With consideration that you may be using custom ports, proxies, HTTPS, and other custom configurations that must be re-setup in WildFly from scratch and/or may be incompatible with WildFly, we have introduced a new upgrade path for using your existing JBoss 7 with i2b2 1.7.09b by providing drop-in JARs.

Technical Details

We are providing a zip file containing a pre-compiled version of i2b2 1.7.09b that you can drop into your existing instance to upgrade i2b2. The JARs were compiled with JDK 7 and will run in your existing JBoss 7 application server. The upgrade technique will work on both Linux and Windows environments.

You should meet all of the following requirements to use this upgrade path:

- You should be running JBoss 7 (tested on JBoss-as-7.1.1.Final) and JRE 7 or Wildfly 10 and JRE 8
- You are on i2b2 versions 1.7.05, 1.7.06, 1.7.07, or 1.7.08
- You either installed i2b2 from source or are using the i2b2 VMWare virtual machine (1.7.05, 1.7.06, 1.7.07, or 1.7.08)

Note: These upgrade instructions assume you will be using your existing JBoss/Wildfly and Axis2 environments. Only the i2b2 software will be upgraded using this method.

Step-by-step Instructions for JBoss

1. Stop JBoss

For example, on Linux:

```
$ /opt/jboss-as-7.1.1.Final/bin/jboss-cli.sh --connect command=:shutdown
```

2. Backup your existing i2b2.war directory

On Linux, make a copy of `/opt/jboss-as-7.1.1.Final/standalone/deployments/i2b2.war/` to a different location outside of `/opt/jboss-as-7.1.1.Final/`

On Windows, make a copy of `c:\opt\jboss-as-7.1.1.Final\standalone\deployments\i2b2.war\` to a different location outside of `c:\opt\jboss-as-7.1.1.Final\`

3. Delete the i2b2.war.deployed file

For example, on Linux:

```
$ rm /opt/jboss-as-7.1.1.Final/standalone/deployments/i2b2.war.deployed
```

4. Extract/copy the files from the zip file to your JBoss deployments directory

The zip file contains the following file structure:

```
i2b2 Upgrade Instructions for 1.7.05 to 1.7.09b.pdf
deployments/
deployments/i2b2.war.dodeploy
deployments/i2b2.war/
deployments/i2b2.war/WEB-INF/
deployments/i2b2.war/WEB-INF/lib/
deployments/i2b2.war/WEB-INF/lib/CRC-core.jar
deployments/i2b2.war/WEB-INF/lib/Ontology-core.jar
deployments/i2b2.war/WEB-INF/lib/ProjectManagement-core.jar
deployments/i2b2.war/WEB-INF/lib/Workplace-core.jar
deployments/i2b2.war/WEB-INF/lib/i2b2Common-core.jar
deployments/i2b2.war/WEB-INF/lib/FR-core.jar
deployments/i2b2.war/WEB-INF/lib/IM-core.jar
deployments/i2b2.war/WEB-INF/services/
deployments/i2b2.war/WEB-INF/services/CRC.aar
deployments/i2b2.war/WEB-INF/services/IM.aar
deployments/i2b2.war/WEB-INF/services/FR.aar
deployments/i2b2.war/WEB-INF/services/Ontology.aar
deployments/i2b2.war/WEB-INF/services/ProjectManagement.aar
deployments/i2b2.war/WEB-INF/services/Workplace.aar
configuration/crcapp/crc.properties-1709
```

You should copy the *deployments* directory into your existing JBoss *standalone* directory, replacing any existing file when prompted.

For example, on Linux:

```
$ unzip i2b2_upgrade_1.7.05_to_1.7.09b.zip
$ cp -r deployments /opt/jboss-as-7.1.1.Final/standalone/
```

5. Modify the crc.properties

Copy the contents of the *crc.properties-1709* to *crc.properties*

6. Start JBoss

For example, on Linux:

```
$ /opt/jboss-as-7.1.1.Final/bin/standalone.sh -b 0.0.0.0 &
```

7. Verify your upgrade

Navigate to your local i2b2 web client in your browser and verify that i2b2 is working normally (e.g. confirm that queries can run and complete, and previous queries can be retrieved, etc.)

Step-by-step Instructions for Wildfly

1. Stop Wildfly

For example, on Linux:

```
$ /opt/wildfly-10.0.0.Final/bin/jboss-cli.sh --connect command=:shutdown
```

2. Backup your existing i2b2.war directory

On Linux, make a copy of `/opt/wildfly-10.0.0.Final/standalone/deployments/i2b2.war/` to a different location outside of `/opt/wildfly-10.0.0.Final/`

On Windows, make a copy of `c:\opt\wildfly-10.0.0.Final\standalone\deployments\i2b2.war\` to a different location outside of `c:\opt\wildfly-10.0.0.Final\`

3. Delete the i2b2.war.deployed file

For example, on Linux:

```
$ rm /opt/wildfly-10.0.0.Final/standalone/deployments/i2b2.war.deployed
```

4. Extract/copy the files from the zip file to your JBoss deployments directory

The zip file contains the following file structure:

```
i2b2 Upgrade Instructions for 1.7.05 to 1.7.09b.pdf
deployments/
deployments/i2b2.war.dodeploy
deployments/i2b2.war/
deployments/i2b2.war/WEB-INF/
deployments/i2b2.war/WEB-INF/lib/
deployments/i2b2.war/WEB-INF/lib/CRC-core.jar
deployments/i2b2.war/WEB-INF/lib/Ontology-core.jar
deployments/i2b2.war/WEB-INF/lib/ProjectManagement-core.jar
deployments/i2b2.war/WEB-INF/lib/Workplace-core.jar
deployments/i2b2.war/WEB-INF/lib/i2b2Common-core.jar
deployments/i2b2.war/WEB-INF/lib/FR-core.jar
deployments/i2b2.war/WEB-INF/lib/IM-core.jar
deployments/i2b2.war/WEB-INF/services/
deployments/i2b2.war/WEB-INF/services/CRC.aar
deployments/i2b2.war/WEB-INF/services/IM.aar
deployments/i2b2.war/WEB-INF/services/FR.aar
deployments/i2b2.war/WEB-INF/services/Ontology.aar
deployments/i2b2.war/WEB-INF/services/ProjectManagement.aar
deployments/i2b2.war/WEB-INF/services/Workplace.aar

configuration/crcapp/crc.properties-1709
```

You should copy the *deployments* directory into your existing Wildfly *standalone* directory, replacing any existing file when prompted.

For example, on Linux:

```
$ unzip i2b2_upgrade_1.7.05_to_1.7.09b.zip
$ cp -r deployments /opt/wildfly-10.0.0.Final/standalone/
```

5. Modify the `crc.properties`

Copy the contents of the `crc.properties-1709` to `crc.properties`

6. Start Wildfly

For example, on Linux:

```
$ /opt/wildfly-10.0.0.Final/bin/standalone.sh -b 0.0.0.0 &
```

7. Verify your upgrade

Navigate to your local i2b2 web client in your browser and verify that i2b2 is working normally (e.g. confirm that queries can run and complete, and previous queries can be retrieved, etc.)

Download

Description	i2b2 Version	File Size	Download Link	Requirements
-------------	--------------	-----------	---------------	--------------

i2b2 1.7.05+ to 1.7.09b Server Upgrade	1.7.09b	3.5 MB	 i2b2_upgrade_1.7.05_to_1.7.09b.zip	See Technical Details section above.
--	---------	--------	--	--

Notes

- These upgrade instructions are to upgrade the server software of i2b2 only. You will want to grab the latest [i2b2 web client zip](#) and deploy it as normal.
- In April 2016, we provided instructions to [patch a potential security vulnerability](#) in JBoss 7, specifically in the commons-collections-3.2.1.jar shipped with JBoss 7.