



Upgrade to 1.7.09c

Version Information

i2b2 Version:	1.7.09c
Release Date:	January 12, 2017
License:	i2b2 Open Source License

Download

Description	i2b2 Released Version	Minimum Version Required	Download Link	Requirements
Files to upgrade the i2b2 server to 1.7.09c	1.7.09c	1.7.05	 i2b2upgrade-1705-to-1709c.zip	See Technical Details section on the i2b2 Upgrades page.
Files to upgrade the i2b2 Web Client to 1.7.09c	1.7.09c		 i2b2webclient-1709c.zip	

Notes

- Release 1.7.09 had changes to the `crc.properties` file. Since some sites might be upgrading from 1.7.08 or earlier, we have kept the steps to update the `crc.properties` files in these upgrade notes. However, if you are already on 1.7.09, 1.7.09a or higher you will skip the step to modify the `crc.properties` file as you have already done this step.
- Release 1.7.09c contains changes to the i2b2 Web Client. Therefore in addition to the upgrade zip file you also need to download the `i2b2webclient-1709c.zip` file. The process of installing the i2b2 Web Client has not changed. If you have questions on how this is done you can find additional information in [Chapter 7. i2b2 Web Client Install](#) of the [i2b2 Installation Guide](#).
- Because this release contains Web Client changes, the i2b2 Admin module that resides on the i2b2 server will also need to be updated. The Web Client and Admin share code and although none of the changes are specific to the Admin, this update is necessary to make sure the two applications remain in sync.

Upgrade Instructions

Knowing some sites have remained on JBoss 7 while some have upgraded to WildFly 10, we have gone ahead and provided Step-by-Step Instructions for both scenarios. For the most part the overall process is very similar. What is different, is the path in which the files reside. Expand the box below to see an example of the differences between the two path names.

Example Paths to i2b2.war

JBoss 7 path

```
/opt/jboss-as-7.1.1.Final/standalone/deployments/i2b2.war/
```

WildFly 10 path

```
/opt/wildfly-10.0.0.Final/standalone/deployments/i2b2.war/
```

Step-by-Step Instructions for JBoss

1

Stop JBoss

Linux Example

```
$ /opt/jboss-as-7.1.1.Final/bin/jboss-  
cli.sh --connect command=:shutdown
```

2

Backup your existing i2b2.war directory

Linux

Step-by-Step Instructions for WildFly

1

Stop WildFly

Linux Example

```
$ /opt/wildfly-10.0.0.Final/bin/jboss-  
cli.sh --connect command=:shutdown
```

2

Backup your existing i2b2.war directory

Linux

On **Linux**, make a copy of */opt/wildfly-10.0.0.Final/standalone/deployments/i2b2.war/* and save it to a different location outside of */opt/wildfly-10.0.0.Final/*

On **Linux**, make a copy of `/opt/jboss-as-7.1.1.Final/standalone/deployments/i2b2.war` and save it to a different location outside of `/opt/jboss-as-7.1.1.Final/`

Windows


On **Windows**, make a copy of `c:\opt\jboss-as-7.1.1.Final\standalone\deployments\i2b2.war` and save it to a different location outside of `c:\opt\jboss-as-7.1.1.Final\`

3

Delete **i2b2.war.deployed** file

Linux Example

```
$ rm /opt/jboss-as-7.1.1.Final/standalone/deployments/i2b2.war.deployed
```

 **DO NOT** delete your existing `i2b2.war` directory. The zip file contains only a subset of files to add/replace in your existing `i2b2.war` directory.

4

Extract / copy the deployment files from the upgrade zip file to your **JBoss deployments directory**

5

Copy the **deployments directory** into your existing **JBoss standalone directory**, replacing any existing files when prompted.

Windows


On **Windows**, make a copy of `c:\opt\wildfly-10.0.0.Final\standalone\deployments\i2b2.war` and save it to a different location outside of `c:\opt\wildfly-10.0.0.Final\`

3

Delete **i2b2.war.deployed** file

Linux Example

```
$ rm /opt/wildfly-10.0.0.Final/standalone/deployments/i2b2.war.deployed
```

 **DO NOT** delete your existing `i2b2.war` directory. The zip file contains only a subset of files to add/replace in your existing `i2b2.war` directory.

4

Extract / copy the deployment files from the upgrade zip file to your **WildFly deployments directory**

5

Copy the **deployments directory** into your existing **WildFly standalone directory**, replacing any existing files when prompted.

Linux Example

```
$ cp -r deployments /opt/wildfly-10.0.0.Final/standalone
```

6

Modify the **crc.properties**

Update **crc.properties**

Linux Example


```
$ cp -r deployments /opt/jboss-as-7.1.1.Final/standalone
```

6

Modify the **crc.properties**

Update crc.properties

Open the **crc.properties-1709** file and copy the contents from it into the **crc.properties** file located in the configuration directory on the i2b2 server.

 **DO NOT** replace the **crc.properties** file with the new **crc.properties-1709** file as the new file only contains the new parameters. If you replace the existing one you will lose all your current configurations and all the necessary parameters to run the **crc**.


7

Backup your existing **admin directory**

Linux Example

/var/www/html/admin

Open the **crc.properties-1709** file and copy the contents from it into the **crc.properties** file located in the configuration directory on the i2b2 server.

 **DO NOT** replace the **crc.properties** file with the new **crc.properties-1709** file as the new file only contains the new parameters. If you replace the existing one you will lose all your current configurations and all the necessary parameters to run the **crc**.

7

Backup your existing **admin directory**

Linux Example

/var/www/html/admin

Windows Example

C:\inetpub\wwwroot\admin

8

Extract / Copy the **admin directory** from the update zip file to your **web server directory**

Windows Example

C:\inetpub\wwwroot\admin

8

Extract / Copy the **admin directory** from the update zip file to your **web server directory**

❗ To **prevent the loss of** your current **data configuration settings** verify you can access the **i2b2_config_data.js** file in the backup copy of the admin directory you created in the previous step.

9

Copy your old **i2b2_config_data.js** file into the updated admin directory on your web server. Overwrite the existing file if prompted.

10

Start JBoss

Linux Example

```
$ /opt/jboss-as-7.1.1.Final/bin
/standalone.sh -b 0.0.0.0 &
```

11

Verify your upgrade

Test Web Client

Navigate to your local i2b2 Web Client in your preferred browser and verify you are able to log on and perform standard i2b2 functions. (e.g. Run queries, retrieve previous queries, view breakdowns, etc.)

❗ To **prevent the loss of** your current **data configuration settings** verify you can access the **i2b2_config_data.js** file in the backup copy of the admin directory you created in the previous step.

9

Copy your old **i2b2_config_data.js** file into the updated admin directory on your web server. Overwrite the existing file if prompted.

10

Start WildFly

Linux Example

```
$ /opt/wildfly-10.0.0.Final/bin
/standalone.sh -b 0.0.0.0 &
```

11

Verify your upgrade

Test Web Client

Navigate to your local i2b2 Web Client in your preferred browser and verify you are able to log on and perform standard i2b2 functions. (e.g. Run queries, retrieve previous queries, view breakdowns, etc.)

Contents of the Zip File

i2b2 Upgrade Instructions for 1.7.05+ to 1.7.09c.pdf

admin/

admin/...

configuration/

configuration/crcapp/

configuration/crcapp/crc.properties-1709

deployments/

deployments/i2b2.war/

deployments/i2b2.war/WEB-INF/

deployments/i2b2.war/WEB-INF/lib/

deployments/i2b2.war/WEB-INF/lib/CRC-core.jar

deployments/i2b2.war/WEB-INF/lib/FR-core.jar

deployments/i2b2.war/WEB-INF/lib/i2b2Common-core.jar

deployments/i2b2.war/WEB-INF/lib/IM-core.jar

deployments/i2b2.war/WEB-INF/lib/Ontology-core.jar

deployments/i2b2.war/WEB-INF/lib/ProjectManagement-core.jar

deployments/i2b2.war/WEB-INF/lib/Workplace-core.jar

deployments/i2b2.war/WEB-INF/services/

deployments/i2b2.war/WEB-INF/services/CRC.aar

deployments/i2b2.war/WEB-INF/services/FR.aar

deployments/i2b2.war/WEB-INF/services/IM.aar

deployments/i2b2.war/WEB-INF/services/ProjectManagement.aar

deployments/i2b2.war/WEB-INF/services/Ontology.aar

deployments/i2b2.war/WEB-INF/services/Workplace.aar

deployments/i2b2.war.dodeploy