

# Storing Query Definitions-

A query definition may be dragged from the Query Name field of the *Query Tool* view. The namespace for the schema that defines the Query Definition XML content is <http://www.i2b2.org/xsd/cell/crc/psm/querydefinition/1.1/>

The plugin\_drag\_drop XML message for a query definition is as follows:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<plugin_drag_drop xmlns:ns4="http://www.i2b2.org/xsd/cell/crc/psm/1.1/" xmlns:ns3="http://www.i2b2.org/xsd/cell/crc/pdo/1.1/" xmlns:ns5="http://www.i2b2.org/xsd/hive/plugin/" xmlns:ns2="http://www.i2b2.org/xsd/hive/pdo/1.1/" xmlns:ns6="http://www.i2b2.org/xsd/hive/msg/1.1/" xmlns:ns8="http://www.i2b2.org/xsd/cell/crc/psm/querydefinition/1.1/">
  <query_definition>
    <query_name>Chemistry_nqVg</query_name>
    <specificity_scale>0</specificity_scale>
    <panel>
      <panel_number>1</panel_number>
      <panel_accuracy_scale>0</panel_accuracy_scale>
      <invert>0</invert>
      <total_item_occurrences>1</total_item_occurrences>
      <item>
        <hlevel>2</hlevel>
        <item_name>Chemistry</item_name>
        <item_key>\\i2b2\\i2b2\\Labtests\\LAB(LLB16) Chemistry</item_key>
        <tooltip>Labtests \ Chemistry</tooltip>
        <class>ENC</class>
        <item_is_synonym>>false</item_is_synonym>
      </item>
    </panel>
  </query_definition>
</plugin_drag_drop>
```