

Optional _metadataxml_ content

Currently this tag is used for concepts of a laboratory nature [LAB] or concepts related to NLP [KEY]

<ac:structured-macro ac:name="unmigrated-wiki-markup" ac:schema-version="1" ac:macro-id="93c535c2-8b0c-491c-acf2-8c60e8667439"><ac:plain-text-body><![CDATA[	<ValueMetadata>	Container for information associated with a laboratory value [LAB] or NLP-related keyword [KEY]	]]></ac:plain-text-body></ac:structured-macro>
<Version>	The version associated with this data		
<CreationDateTime>	The timestamp associated with this data		
<DataType>	Identifies the data type. Possible values are: For numeric values the datatypes are: PosFloat, Float, PosInteger, Integer For pre-determined text values the datatypes are: Enum For free form text values the datatypes are: String, largestring		
<Flagstouse>	Represents the type of flag to use. Examples values: HL = High / Low (does not apply to String types) A = Abnormal		
<Oktousevalues>	Indicates if it OK to use values Y indicates the value is a number (numeric types) N or empty indicates the value is not a number		
<MaxStringLength>	The maximum length associated with a String data type		
<			

<UnitValues>	Container for the unit of measurement value information
<NormalUnits>	The unit of measurement associated with the value.
<EqualUnits>	An equivalent unit of measurement associated with the value.
<ConvertingUnits>	Container for unit conversion information
<Units>	Conversion unit of measurement
<MultiplyingFactor>	Conversion unit multiplication fact.